

VOLVO

Workshop Apparel Program

TECHNICIAN



MEN'S TECHNICIAN SHIRT

FEATURES AND BENEFITS

- OilBlok curbs the toughest oils and fluids from setting in.
- Flex Stretch Panels offer improved mobility and breathability for unrivaled on-thejob comfort
- Exclusive Ripstop Fabric is lightweight and breathable but 75% stronger than common workwear fabrics
- Underarm Mesh Gussets deliver increased range of motion and breathable comfort
- Mesh-lined Banded Collar provides an updated, modern look that is less stiff and much more comfortable
- Covered Snaps keep a vehicle's paint job polished and protected and require less repair
- Tool pocket on left sleeve and hex pockets with pencil stall
- Reflective piping on shoulder
- Reflective heat seal logo on front left shoulder and back
- US PAT. NO. 10,085,490
- US PAT. NO. 11,051,559

•



MEN'S TECHNICIAN PANT

FEATURES AND BENEFITS

- Exclusive Ripstop Fabric is lightweight and breathable yet 75% stronger than common workwear fabrics
- Covered Buttons keep painted surfaces polished and protected part of the ZeroSkratch collection of worry-free uniforms
- Durable Water Repellent Finish protects from the inevitable spills, splashes and Mother Nature
- Inseam Gusset offers more room to crouch, bend and stretch with ease
- Stretch Waistband expands when needed most then forms back into shape
- Cell Phone Pocket with hidden snap to keep items secure
- Straight Fit combines the durability of a work pant with the comfort of jeans
- US Patent Number 10,004,281





MEN'S SHORT SLEEVE TECHNICIAN SHIRT

Technician II-HS II-LS HW

FABRIC: 4.2 oz. OilBlok Ripstop **BLEND:** 65% Polyester / 35% Cotton

LOGOS: Stocked with Logos **COUNTRY OF ORIGIN:** Imported

COLOR	LOT NO.	LOGO	SIZES	
SHORT SLEEVE			Regular	Long
Navy/Charcoal	SY24VL	Left Shoulder: Reflective Heat Seal Volvo Back: Reflective Heat Seal Volvo	S-3XL	L-3XL



MEN'S LONG SLEEVE TECHNICIAN SHIRT

Technician IL-HS IL-LS HW

FABRIC: 4.2 oz. OilBlok Ripstop **BLEND:** 65% Polyester / 35% Cotton

LOGOS: Stocked with logos
COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES	
LONG SLEEVE			Regular	Long
Navy/Charcoal	SY14VL	Left Shoulder: Reflective Heat Seal Volvo Back: Reflective Heat Seal Volvo	S-3XL	L-2XL

TECHNICIAN



MEN'S TECHNICIAN PANT

Technician II-HS II-LS HW

FABRIC: 6.5 oz. Twill Ripstop

BLEND: 70% Polyester / 28% Cotton / 2% Spande

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES
PANT			
Charcoal	PT2LCH	None	28-50, even only



MEN'S TECHNICIAN SHORT

Technician IL-HS IL-LS HW

FABRIC: 6.5 oz Twill Ripstop

BLEND: 70% Polyester / 28% Cotton / 2% Spandex **INSEAM:** 13" inseam for a modern, updated look

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES	
SHORT				
Charcoal	PT4LCH	None	28-50, even only	





WOMEN'S TECHNICIAN SHIRT

FEATURES AND BENEFITS

- OilBlok curbs the toughest oils and fluids from setting in.
- Flex Stretch Panels offer improved mobility and breathability
- Exclusive Ripstop Fabric is lightweight and breathable but 75% stronger than common workwear fabrics
- Underarm Mesh Gussets deliver increased range of motion and breathable comfort
- Mesh-lined Racer Collar keeps you cool and comfortable
- Covered snaps keep paint jobs protected part of the ZeroSkratch collection of worryfree workwear
- Inset angled pockets
- · Reflective piping on shoulder
- Reflective heat seal logo on front left shoulder and on the back
- US PAT. NO. 10,085,490
- US PAT. NO. 11,051,559



WOMEN'S TECHNICIAN PANT

FEATURES AND BENEFITS

- Exclusive **Ripstop Fabric** is lightweight and breathable but 75% stronger than common workwear fabrics
- Covered Buttons keep painted surfaces polished and protected part of the ZeroSkratch collection of worry-free uniforms
- Durable Water Repellent (DWR) Finish protects from the inevitable spills, splashes and Mother Nature
- Inseam Gusset offers more room to crouch, bend and stretch with ease
- Stretch Waistband expands when needed most then forms back into shape
- Cell Phone Pocket with hidden snap to keep items secure
- Straight Fit combines the durability of a work pant with the comfort of jeans



WOMEN'S LONG SLEEVE TECHNICIAN SHIRT

Technician

IL-HS IL-LS HW

FABRIC: 4.25 oz. OilBlok Ripstop **BLEND:** 65% Polyester / 35% Cotton

LOGOS: Stocked with logos **COUNTRY OF ORIGIN: Imported**

COLOR	LOT NO.	LOGO	SIZES	
SHORT SLEEVE			Regular	
Navy/Charcoal	SY13VL	Left Shoulder: Reflective Heat Seal Volvo Back: Reflective Heat Seal Volvo	XS-3XL	



WOMEN'S SHORT SLEEVE TECHNICIAN SHIRT

Technician

IL-HS IL-LS HW

FABRIC: 4.25 oz. OilBlok Ripstop **BLEND:** 65% Polyester / 35% Cotton

LOGOS: Stocked with logos **COUNTRY OF ORIGIN: Imported**

COLOR	LOT NO.	LOGO	SIZES	
LONG SLEEVE			Regular	
Navy/Charcoal	SY23VL	Left Shoulder: Reflective Heat Seal Volvo Back: Reflective Heat Seal Volvo	XS-3XL	





WOMEN'S TECHNICIAN PANT

Technician

IL-HS IL-LS HW

FABRIC: 6.5 oz. Twill Ripstop

BLEND: 70% Polyester / 28% Cotton / 2% Spandex

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES
PANT			
Charcoal	PT3LCH	None	2-24



WOMEN'S TECHNICIAN SHORT

Technician

IL-HS IL-LS HW

FABRIC: 7.5 oz. Canvas

BLEND: 65% Polyester / 35% Cotton **INSEAM:** 8" inseam for a professional look

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES	
SHORT				
Charcoal	PT27CH	None	04-22 08	

EV TECHNICIAN



MEN'S EV TECHNICIAN COVERALL

FEATURES AND BENEFITS

- CAT 1 protection and NFPA® 2112 compliance feels light and smooth
- · Patented Mimix mobility sleeve pleat for ease in raising arms and reaching
- · Elastic back waist and deep-pleated back for increased mobility
- · Improved fit in lower torso for ease in squatting
- Leg pocket for additional storage

PROTECTION



CATEGORY 1 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall with required minimum Arc Rating of 4 cal/cm².



NFPA 2112® COMPLIANT

Bulwark® Protective Apparel offers flame-resistant protective garments that are certified by Underwriters Laboratories to meet the requirements of NFPA® 2112 Standard on Flame Resistant Garments for Protection of Industrial Personnel Against Flash Fire, 2018 Edition. NFPA® 2113 Standard on Selection, Care, Use and Maintenance of Flame Resistant Garments for Protection of Industrial Personnel Against Flash Fire, 2015 Edition, requires that garments cover the upper and lower body and flammable underlayers as completely as possible. Bulwark® garments meet this requirement either as a single garment such as a coverall or when worn with another certified garment such as a shirt or pants to provide both upper and lower body coverage.





MEN'S EV TECHNICIAN COVERALL

EV Technician II-HS II-LS HW

FABRIC: Exclusive Nomex® Comfort fabric by DuPont® Flame-resistant, 6oz (200 g/m)

BLEND: 93% Nomex/ 5% Kevlar®/ 2% Carbon

LOGOS: Logo added at time of order. Standard lead times apply.

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES		
COVERALL			Regular	Long	
Navy	QV22NV	Left Chest: Reflective Heat Seal Volvo	34-60	42-60	

EV TECHNICIAN



WOMEN'S EV TECHNICIAN COVERALL

FEATURES AND BENEFITS

- CAT 1 protection and NFPA® 2112 compliance feels light and smooth
- Patented Mimix mobility sleeve pleat for ease in raising arms and reaching
- Elastic back waist and deep-pleated back for increased mobility
- · Improved fit in lower torso for ease in squatting
- Leg pocket for additional storage

PROTECTION



CATEGORY 1 PROTECTION

Arc-rated FR long-sleeve shirt and FR pants or FR coverall with required minimum Arc Rating of 4 cal/cm².



NFPA 2112® COMPLIANT

Bulwark® Protective Apparel offers flame-resistant protective garments that are certified by Underwriters Laboratories to meet the requirements of NFPA® 2112 Standard on Flame Resistant Garments for Protection of Industrial Personnel Against Flash Fire, 2018 Edition. NFPA® 2113 Standard on Selection, Care, Use and Maintenance of Flame Resistant Garments for Protection of Industrial Personnel Against Flash Fire, 2015 Edition, requires that garments cover the upper and lower body and flammable underlayers as completely as possible. Bulwark® garments meet this requirement either as a single garment such as a coverall or when worn with another certified garment such as a shirt or pants to provide both upper and lower body coverage.





WOMEN'S EV TECHNICIAN COVERALL

EV Technician



FABRIC: 6.0 oz. (200 g/m²) Nomex® Comfort by Dupont® Flame Resistant Twill **BLEND:** 93% Nomex® Aramid / 5% Para-aramid / 2% Carbon Suffused Nylon

LOGOS: Logo added at time of order. Standard lead times apply.

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES
COVERALL			Regular
Navy	QV23NV	Left Chest: Reflective Heat Seal Volvo	XS-XXL

Last Modified: 08/07/24 11

OUTERWEAR & ACCESSORIES



MEN'S DELUXE SOFT-SHELL JACKET

Outerwear IL-HS IL-LS HW

FABRIC: 10.3 oz. Soft Shell

BLEND: Shell: 96% Polyester / 4% Spandex; Lining: 100% Polyester Fleece **LOGOS:** Logo(s) added at time of order. Standard customization lead times apply.

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	
OUTERWEAR			Regular
Navy	JP68VV	Left Chest: Reflective Heat Seal Volvo	S-4XL
Charcoal	JP68CV	Left Chest: Reflective Heat Seal Volvo	S-4XL



WOMEN'S DELUXE SOFT SHELL JACKET

Outerwear IL-HS IL-LS HW

FABRIC: 10.3 oz. Soft Shell

BLEND: Shell: 96% Polyester / 4% Spandex, Lining: 100% Polyester Fleece **LOGOS:** Logo(s) added at time of order. Standard customization lead times apply.

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES
OUTERWEAR			Regular
Navy	JP67VV	Left Chest: Reflective Heat Seal Volvo	XS-3XL



SOFT-SHELL VEST

Outerwear IL-HS IL-LS HW

FABRIC: 10.3 oz. Soft Shell

BLEND: Shell: 96% Polyester / 4% Spandex, Lining: 100% Polyester Fleece **LOGOS:** Logo(s) added at time of order. Standard customization lead times apply.

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES
UNISEX			Regular
Navy	VP62VV	Left Chest: Reflective Heat Seal Volvo	S-4XL
Charcoal	VP62CV	Left Chest: Reflective Heat Seal Volvo	S-4XL



OUTERWEAR & ACCESSORIES



PERFORMANCE JACKET

Outerwear

IL-HS IL-LS HW

FABRIC: Body: 6.5 oz. Ripstop Twill, Contrast Panels: 6.5 oz. Ripstop Twill

BLEND: Body: 70% Polyester / 28% Cotton / 2% Spandex Elastane, Lining: 100% Polyester, Insulation: 100% Polyester

LOGOS: Logo(s) added at time of order. Standard customization lead times apply.

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES	
OUTERWEAR			Regular	
Navy/Charcoal	JY20VC	Left Chest: Reflective Heat Seal Volvo	S-3XL	



HI-VISIBILITY SAFETY VEST

Outerwear



FABRIC: 2.9 oz. Per Square Yard, Plain Weave

BLEND: 100% Polyester

LOGOS: Logo(s) added at time of order. Standard customization lead times apply.

COUNTRY OF ORIGIN: Imported

COLOR	LOT NO.	LOGO	SIZES	
OUTERWEAR			Regular	
Yellow/Green	VY66VL	Center Upper Back: Reflective Heat Seal Volvo	M-5XL	



Accessories



IL-HS IL-LS HW

FABRIC: 100% Thermoplastic Polyurethane **COUNTRY OF ORIGIN: Made in USA**



COLOR	LOT NO.	LOGO	SIZES
BELT			Regular
Black	AB15BK	None	Reg I S/M/L (fits waist 24-44) XL (fits waists 46-56)

LOGO GUIDE



SILVER REFLECTIVE HEAT SEAL

IL-HS INDUSTRIAL LAUNDRY - HEAVY SOIL

HW HOME WASH

CAUTION: Garments contained on this flyer do not provide protection from ignition sources, molten substances, or chemical exposure. Special flame-resistant garments are available if required. Product images show here are photomechanically reproduced. As a result, colors may vary from actual fabric samples.

II-LS INDUSTRIAL LAUNDRY - LIGHT SOIL

